

V2/07-10-20




International Presence

Contact Melexis:

Europe, Middle East and Africa
sales_europe@melexis.com
Tel. +32 13 67 04 95

Asia and Oceania
sales_asia@melexis.com
Tel. +86 21 5820 6899

Americas
sales_usa@melexis.com
Tel. +1 248 306 5400



- Research & Development
- Sales & Applications
- Manufacturing



WWW.MELEXIS.COM

Melexis

INSPIRED ENGINEERING

SELECTION GUIDE

PRESSURE SENSORS



The small-sized butterfly fish can detect subtle changes in water pressure through a lateral line system. Their pressure sensing organs help to avoid collisions, participate in schooling behavior, orient to water currents, elude predators and detect prey.

Micro-machined, versatile, both absolute and relative pressure sensor IC solutions suitable for a variety of pressure ranges, outstanding in terms of longterm stability and compact size.

Melexis pressure sensors

Part No.	Type	Status	Package type	Factory calibrated	Output type	Harsh media (corrosive gases)	Calibrated transfer function	Calibratable pressure spans	Operating temp. (min)	Operating temp. (max)	Operating supply voltage (min)	Operating supply voltage (max)
MLX90809LXG-EAD-000	Relative	Prod	SOIC16	✓	Analog ratiometric		0.05 to -1.05 bar relative pressure / 0.5 to 4.5 V analog output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90809LXG-EAD-003	Relative	Prod	SOIC16	✓	Analog ratiometric		0 to 1 bar relative pressure / 0.5 to 4.5 V analog output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90809LXG-EAD-007	Relative	Prod	SOIC16	✓	Analog ratiometric		0 to -1 bar relative pressure / 0.5 to 4.5 V analog output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90809LXG-EAD-100	Relative	Prod	SOIC16	✓	Digital SENT		0.05 to -1.2 bar relative pressure / 193 to 3896 LSB SENT output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90821LXG-DBA-003	Relative	Prod	SOIC16	✓	Analog ratiometric		-0.06 to 0.26 bar relative pressure / 0.5V to 4.5 V analog output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90821LXG-DBA-005	Relative	Prod	SOIC16	✓	Analog ratiometric		-0.05 to 0.05 bar relative pressure / 0.5 V to 4.5 V analog output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90821LXG-DBA-006	Relative	Prod	SOIC16	✓	Analog ratiometric		-0.2 to 0.5 bar relative pressure / 4.5 V to 0.5 V analog output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90821VXG-DBA-008	Relative	Prod	SOIC16	✓	Analog ratiometric		-0.0375 to 0.0125 bar relative pressure / 4.5 V to 0.5 V analog output	-	-40 °C	115 °C	4.5 V	5.5 V
MLX90821LXG-DBA-100	Relative	Prod	SOIC16	✓	Digital SENT		-0.06 to 0.26 bar relative pressure / 193 to 3896 LSB SENT output / NTC	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90807LUF-AAA-000	Relative	Prod	Bare die		Analog ratiometric		-	0.08 – 0.14 bar full span	-40 °C	150 °C	4.5 V	5.5 V
MLX90807LUF-CAA-001	Relative	Prod	Bare die		Analog ratiometric		-	0.4 – 2 bar full span	-40 °C	150 °C	4.5 V	5.5 V
MLX90807LUF-CBA-002	Relative	Prod	Bare die		Analog ratiometric		-	2 – 8 bar full span	-40 °C	150 °C	4.5 V	5.5 V
MLX90807LUF-CCA-003	Relative	Prod	Bare die		Analog ratiometric		-	8 – 15 bar full span	-40 °C	150 °C	4.5 V	5.5 V
MLX90807LUF-CDA-004	Relative	Prod	Bare die		Analog ratiometric		-	15 – 45 bar full span	-40 °C	150 °C	4.5 V	5.5 V
MLX90808LUF-CAA-001	Absolute	Prod	Bare die		Analog ratiometric		-	0.6 – 3 bar full span	-40 °C	150 °C	4.5 V	5.5 V
MLX90808LUF-CBA-002	Absolute	Prod	Bare die		Analog ratiometric		-	3 – 8 bar full span	-40 °C	150 °C	4.5 V	5.5 V
MLX90808LUF-CCA-003	Absolute	Prod	Bare die		Analog ratiometric		-	8 – 15 bar full span	-40 °C	150 °C	4.5 V	5.5 V
MLX90808LUF-CDA-004	Absolute	Prod	Bare die		Analog ratiometric		-	15 – 45 bar full span	-40 °C	150 °C	4.5 V	5.5 V
MLX90817LXE-DBG-001	Absolute	Prod	DFN14	✓	Analog ratiometric		0.5 to 4 bar absolute pressure / 0.5 V to 4.5 V output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90817LXE-DBG-003	Absolute	Prod	DFN14	✓	Analog ratiometric		0.2 to 5.5 bar absolute pressure / 0.5 V to 4.5 V output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90817LXE-DBH-008	Absolute	Prod	DFN14	✓	Analog ratiometric		0.1 to 1.15 bar absolute pressure / 0.4 V to 4.65 V output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90817KXE-DBH-008	Absolute	Prod	DFN14	✓	Analog ratiometric		0.1 to 1.15 bar absolute pressure / 0.4 V to 4.65 V output	-	-40 °C	125 °C	4.5 V	5.5 V
MLX90817LXE-DBG-010	Absolute	Prod	DFN14	✓	Analog ratiometric		0.2 to 2.5 bar absolute pressure / 0.2 V to 4.8 V output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90817LXE-DBG-012	Absolute	Prod	DFN14	✓	Analog ratiometric		0.2 to 3 bar absolute pressure / 0.4 V to 4.65 V output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90817LXE-DBG-013	Absolute	Prod	DFN14	✓	Analog ratiometric		0.2 to 4 bar absolute pressure / 0.2 V to 4.8 V output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90817LXE-DBH-014	Absolute	Prod	DFN14	✓	Analog ratiometric		0.133 to 1.199 bar absolute pressure / 1 V to 4.2 V output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90817LXE-DCG-000	Absolute	Prod	DFN14	✓	Analog ratiometric	✓	0.2 to 4 bar absolute pressure / 0.4 V to 4.65 V output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90818LXE-BBG-015	Absolute	Prod	DFN14	✓	Digital SENT	✓	0.1 to 4 bar absolute pressure / 193 to 3896 LSB SENT output	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90818LXE-BBG-016	Absolute	Prod	DFN14	✓	Digital SENT	✓	0.1 to 3 bar absolute pressure / 193 to 3896 LSB SENT output / NTC	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90818LXE-BBG-017	Absolute	Prod	DFN14	✓	Digital SENT	✓	0.1 to 4 bar absolute pressure / 193 to 3896 LSB SENT output / NTC	-	-40 °C	150 °C	4.5 V	5.5 V
MLX90819LUF-EBA-000	Relative	Prod	Bare die		Analog ratiometric / Digital SENT			10 - 35 bar full span	-40 °C	150 °C	4.5 V	5.5 V
MLX90819LUF-EBB-000	Relative	Prod	Bare die		Analog ratiometric / Digital SENT			30 - 50 bar full span	-40 °C	150 °C	4.5 V	5.5 V
MLX90820LUF-EBA-000	Absolute	Prod	Bare die		Analog ratiometric / Digital SENT			10 - 35 bar full span	-40 °C	150 °C	4.5 V	5.5 V
MLX90820LUF-EBB-000	Absolute	Prod	Bare die		Analog ratiometric / Digital SENT			30 - 50 bar full span	-40 °C	150 °C	4.5 V	5.5 V

